

Michael
Novotny

 @manovotny

A group of four people are posing together in a dark room, holding video game controllers. A man in the foreground on the left wears a green t-shirt with a "MXPY" logo. A woman behind him has her arms raised. Another man on the right wears glasses and a denim vest, holding a controller. A woman in the background also wears glasses and a plaid shirt.

8BIT PRESS START

Testing & Troubleshooting WordPress Plugins & Themes

Outline

- ▶ Safeguards
- ▶ Testing
- ▶ Troubleshooting

Safeguards

Screenshot of the jQuery website (jquery.com) viewed in a web browser. The page features the jQuery logo and tagline "write less, do more." Navigation links include Download, API Documentation, Blog, Plugins, and Browser Support. A search bar is at the top right. Key features highlighted are Lightweight Footprint (32kB minified and gzipped), CSS3 Compliant (supports CSS3 selectors), and Cross-Browser compatibility (IE, Firefox, Safari, Opera, Chrome, and more). A prominent orange button allows users to "Download jQuery v1.9.1". Below the main content, sections explain "What is jQuery?" and provide "Resources" like Core API Documentation and Learning Center.

jQuery

(and other default scripts)

A screenshot of a web browser window displaying the WordPress.org Codex page for Conditional Tags. The browser's address bar shows the URL: codex.wordpress.org/Conditional_Tags. The page header includes the WordPress logo and navigation links for Showcase, Themes, Plugins, Mobile, Support, Get Involved, About, Blog, Hosting, and Download. The main content area features a section titled "Conditional Tags" with sub-sections for Introduction, The Conditions For ..., and various post types. A sidebar on the right contains links to Home Page, WordPress Lessons, Getting Started, Working with WordPress, Design and Layout, Advanced Topics, Troubleshooting, Developer Docs, and About WordPress. Below these are sections for Codex Resources, Community portal, Current events, and Recent changes.

Conditional Tags

Languages: English • Français • Italiano • 日本語 • Türkçe • Português do Brasil • 中文(简体) • (Add your language)

Introduction

The Conditional Tags can be used in your Template files to change what content is displayed and how that content is displayed on a particular page depending on what conditions that page matches. For example, you might want to display a snippet of text above the series of posts, but only on the main page of your blog. With the `is_home()` Conditional Tag, that task is made easy.

Note the close relation these tags have to WordPress [Template Hierarchy](#).

Warning: You can only use conditional query tags after the `posts_selection` action hook in WordPress (the `wp` action hook is the first one through which you can use these conditionals). For themes, this means the conditional tag will never work

Contents

- [hide]
- 1 Introduction
- 2 The Conditions For ...
 - 2.1 The Main Page
 - 2.2 The Front Page
 - 2.3 The Administration Panels
 - 2.4 A Single Post Page
 - 2.5 A Sticky Post
 - 2.6 A Post Type
 - 2.7 A Post Type is Hierarchical
 - 2.8 A Post Type Archive

Codex tools: Log in

Home Page

WordPress Lessons

Getting Started

Working with WordPress

Design and Layout

Advanced Topics

Troubleshooting

Developer Docs

About WordPress

Codex Resources

Community portal

Current events

Recent changes

Conditionals

Testing

WP Test | The Best Tests

wptest.io

Accounts Downloads Domainr Google Instapaper Instapaper+ Modem Pocket TinyPic Twitter Viewer Other Bookmarks

 WP TEST
THE BEST TESTS FOR WORDPRESS

DOWNLOAD DEMO

Data

wptest.io

Plugins


```
/**  
 * For developers: WordPress debugging mode.  
 *  
 * Change this to true to enable the display of notices during development.  
 * It is strongly recommended that plugin and theme developers use WP_DEBUG  
 * in their development environments.  
 */  
define( 'WP_DEBUG', true );  
define( 'WP_DEBUG_LOG', true );  
define( 'WP_DEBUG_DISPLAY', false ); // change to true if Debug Bar is off  
define( 'SCRIPT_DEBUG', true );
```

Setup

wp-config.php

The screenshot shows a Mac OS X desktop with a browser window open to the WordPress.org plugin directory. The URL in the address bar is wordpress.org/extend/plugins/debug-bar/. The page displays information about the 'Debug Bar' plugin, including its version (0.8), PHP version (5.3.6), MySQL version (5.5.9), and memory usage (3,708,912 bytes). It also shows performance metrics: 12 total queries and a total query time of 14.3 ms. A SQL query is listed: `SELECT option_name, option_value FROM wpdev_options WHERE autoload = 'wp_not_installed, is_blog_installed, wp_load_alloptions'`. The plugin description states it adds a debug menu to the admin bar. A large orange 'Download Version 0.8' button is prominent. The sidebar on the left includes links for Extend Home, Plugins (Developer Center), Themes, Mobile, Ideas, Kvetch!, and a search bar for 'Search Plugins'.

Debug Bar



Debug Bar Example

- Debug Bar Actions and Filters Addon
- Debug Bar Console
- Debug Bar Cron
- Debug Bar Post Meta
- Debug Bar Query Tracer
- Debug Bar Super Globals
- Debug Bar Template Trace
- Debug Bar Transients
- Debug Bar-Extender
- Kint Debugger
- WooCommerce Debug Bar

WordPress > Log Deprecated Notices

← → C wordpress.org/extend/plugins/log-deprecated-notices/

Accounts Downloads Domainr Google Instapaper Instapaper+ Modem Pocket TinyPic Twitter Viewer WhatFont YMCA Other Bookmarks

Search WordPress.org Go

WORDPRESS.ORG Showcase Themes Plugins Mobile Support Get Involved About Blog Hosting Download

Plugin Directory Username Password Log in (forgot?) or Register

Extend Home Plugins • Developer Center Themes Mobile Ideas Kvetch!

Search Plugins Search Popular Tags More widget (3,406)

Log Deprecated Notices

Logs the usage of deprecated files, functions, and function arguments, and identifies where the deprecated functionality is being used.

[Download Version 0.2](#)

Description Installation Screenshots Other Notes Stats Support Reviews Developers

This plugin logs the usage of deprecated files, functions, and function arguments. It identifies where the deprecated functionality is being used and offers the alternative if available.


This is a plugin for developers. WP_DEBUG is not needed, though its general usage is strongly recommended. Deprecated notices normally exposed by WP_DEBUG will be logged instead.

This plugin also logs incorrect function usage, which WordPress started reporting in 3.1.

Requires: 3.0 or higher
Compatible up to: 3.6
Last Updated: 2013-3-8
Downloads: 12,660

Ratings

★★★★★ 4.9 out of 5 stars



Log Deprecated Notices

The screenshot shows the WordPress dashboard with the 'Tools' menu selected. The main content area displays a table titled 'Deprecated Calls' with two entries. The table has columns for 'Count' and 'Last Used'. The first entry is for 'Function: get_theme_data()' which was used 2 times on 2013/03/15 at 5:36:07 PM. The second entry is for 'Function: get_userdatabylogin()' which was used 774 times on 2013/02/27 at 10:34:05 PM.

	Alternative	Count	Last Used
Deprecated Call	Use wp_get_theme() instead. Deprecated in version 3.4.	2	2013/03/15 5:36:07 PM
Deprecated Call	Use get_user_by('login') instead. Deprecated in version 3.3.	774	2013/02/27 10:34:05 PM

Log Deprecated Notices Example

WordPress > Theme-Check

wordpress.org/extend/plugins/theme-check/

Accounts Downloads Domainr Google Instapaper Instapaper+ Modem Pocket TinyPic Twitter Viewer WhatFont YMCA Other Bookmarks

Search WordPress.org Go

WORDPRESS.ORG

Showcase Themes Plugins Mobile Support Get Involved About Blog Hosting Download

Plugin Directory Username Password Log in (forgot?) or Register

Extend Home

Plugins • Developer Center

Themes

Mobile

Ideas

Kvetch!

Theme-Check

A simple and easy way to test your theme for all the latest WordPress standards and practices. A great theme development tool!

Download Version 20121211

Description FAQ Other Notes Changelog Stats Support Reviews Developers

The theme check plugin is an easy way to test your theme and make sure it's up to spec with the latest [theme review](#) standards. With it, you can run all the same automated testing tools on your theme that WordPress.org uses for theme submissions.

The tests are run through a simple admin menu and all results are displayed at once. This is very handy for theme developers, or anybody looking to make sure that their theme supports the latest WordPress theme standards and practices.

Requires: 3.0 or higher
Compatible up to: 3.5.1
Last Updated: 2012-12-11
Downloads: 144,559

Ratings

4.8 out of 5 stars

Traits: [check](#), [checker](#), [guideline](#), [review](#), [template](#), [test](#), [theme](#), [tool](#), [upload](#), [uploader](#), [wordpress](#)

Theme-Check

The screenshot shows a browser window titled "Theme Check < Standard T X". The address bar displays "dvlp.it/8bit/standard/org/3.2/wp-admin/themes.php?page=themecheck". The page content is a list of PHP code snippets and associated security warnings:

```
Line 266: } elseif( function_exists( 'file_get_contents' ) ) {  
Line 267: $template = $this->file_get_contents( $url );  
WARNING: file_get_contents was found in the file functions.php possible file operations.  
Line 3766: $page_content = file_get_contents( get_template_directory_uri() . '/lib/Standard_Privacy_Po  
Line 3768: $page_content = file_get_contents( get_template_directory_uri() . '/lib/Standard_Comment_Po  
WARNING: curl_init was found in the file lib/influence/plugin.php possible file operations.  
Line 321: if( function_exists( 'curl_init' ) ) {  
Line 339: $curl = curl_init( $url );  
Line 374: return function_exists( 'curl_init' ) || function_exists( 'file_get_contents' );  
WARNING: curl_exec was found in the file lib/influence/plugin.php possible file operations.  
Line 348: $response = curl_exec( $curl );  
WARNING: .ds_Store Hidden Files or Folders found.  
REQUIRED: functions.php. Themes should use add_theme_page() for adding admin pages.  
Line 72: add_menu_page()  
RECOMMENDED: could not find the file readme.txt in the theme. Please see Theme Documentation for more information.  
RECOMMENDED: Screenshot size should be 600x450, to account for HiDPI displays. Any 4:3 image size is acceptable, but 600x450 is preferred.  
RECOMMENDED: Possible variable $this found in translation function in lib/influence/views/admin.php. Translation function calls must NOT contain PHP variables.
```

Theme-Check Example

WordPress > Theme Mentor

wordpress.org/extend/plugins/theme-mentor/

Accounts Downloads Domainr Google Instapaper Instapaper+ Modem Pocket TinyPic Twitter Viewer WhatFont YMCA Other Bookmarks

Search WordPress.org Go

WORDPRESS.ORG

Showcase Themes Plugins Mobile Support Get Involved About Blog Hosting Download

Plugin Directory Username Password Log in (forgot?) or Register

Extend Home Plugins • Developer Center Themes Mobile Ideas Kvetch!

Theme Mentor

Theme Mentor is a cousin of the Theme-Check plugin getting deeper into the code analysis.

Download Version 0.1

Description Installation FAQ Screenshots Changelog Stats Support Reviews Developers

Theme Mentor is a cousin of the Theme-Check plugin getting deeper into the code analysis.

It's using different approaches to monitor for common problems regarding theme reviews from the WordPress Theme Reviewers Team. It is prone to fault analysis, so use only as a reference for improving your code base even further.


Currently supported validations:

- Mark all taos in template files

Requires: 3.3.1 or higher
Compatible up to: 3.5.1
Last Updated: 2013-2-16
Downloads: 212

Ratings

0 out of 5 stars



Theme Mentor

WordPress > RTL Tester

wordpress.org/extend/plugins/rtl-tester/

Accounts Downloads Domainr Google Instapaper Instapaper+ Modem Pocket TinyPic Twitter Viewer WhatFont YMCA Other Bookmarks

Search WordPress.org Go

WORDPRESS.ORG Showcase Themes Plugins Mobile Support Get Involved About Blog Hosting Download

Plugin Directory Username Password Log in (forgot?) or Register

Extend Home

Plugins • Developer Center

Themes

Mobile

Ideas

Kvetch!

Search Plugins

Popular Tags More ▾

widget (3,406)



Test your themes and plugins in RTL mode.

Download Version 1.0.2

Description Installation Changelog Stats Support Reviews Developers

RTL Tester

WordPress > Slim Jetpack

wordpress.org/extend/plugins/slimjetpack/

Accounts Downloads Domainr Google Instapaper Instapaper+ Modem Pocket TinyPic Twitter Viewer WhatFont YMCA Other Bookmarks

Search WordPress.org Go

WORDPRESS.ORG Showcase Themes Plugins Mobile Support Get Involved About Blog Hosting Download

Plugin Directory Username Password Log in (forgot?) or Register

Extend Home Plugins • Developer Center Themes Mobile Ideas Kvetch!

Search Plugins Search Popular Tags More

Slim Jetpack

Slim version of Jetpack unlinked from WordPress.com :) Supercharge your self-hosted wp site even you're NOT WP.COM users.

[Download Version 2.1.1](#)

[Description](#) Installation FAQ Screenshots Other Notes Stats Support Reviews Developers

Jetpack is an awesome plugin bundle provided by the Automattic but it requires WordPress.com account even for those modules previously work as independent plugins. The marketing banners are very obtrusive too.


I smashed the bundle to remove the annoying parts and keep the awesomeness. Slim Jetpack will track the updates of Jetpack modules, but is definitely INCOMPATIBLE with its original version because a lot of API functions had been mocked or removed.

Requires: 3.3 or higher
Compatible up to: 3.5.1
Last Updated: 2013-1-18
Downloads: 4,183

Ratings

Slim Jetpack

Troubleshooting



Browser Cache




vs.




vs.




Plugin vs. Theme vs. Core




Chrome Developer Tools




Launch Chrome Developer Tools



Chrome Developer Tools - Elements



Chrome Developer Tools - Sources



Chrome Developer Tools - Console

Cross Browser & Device Testing

For the latest updates, follow me on Twitter: [@MalteWassermann](#)

VIEWPORT RESIZER

RESPONSIVE DESIGN BOOKMARKLET

 CLICK OR BOOKMARK

[Donate](#) [Tweet](#) 2,129 [+1](#) 524 [Like](#) 1.9k [Send](#)




RESPONSIVE DESIGN TESTING TOOL – IT ONLY TAKES 2 SECONDS!

More than 32k active users access Viewport Resizer in 158 countries!

This bookmarklet should not replace a real device simulation. It rather helps you, your team and client testing statuses, transitions.


Viewport Resizer



Viewport Resizer Example

A screenshot of a web browser window displaying the BrowserStack homepage. The URL in the address bar is www.browserstack.com. The browser's toolbar includes icons for back, forward, search, and various bookmarks. The main content area features the BrowserStack logo and navigation links for Support, Pricing, Resources, Free Trial, and Sign in. A large, bold heading reads "Live, Web-Based Browser Testing". Below it, two orange text blocks say "Instant access to all desktop and mobile browsers." and "Say goodbye to your setup of virtual machines and devices." To the left, there's a thumbnail of a video player showing a "Test In Real Browsers" interface with icons for various platforms. To the right, there's a "Free Trial" sign-up form with fields for Full Name, Email, and Password, and a note stating "No credit card required. We promise."

BrowserStack



BrowserStack Example

Questions?

@manovotny // manovotny.com // wptest.io